




Configuration	
Dash #	

Revision				
ECO	Rev.	Description	Date	Approved
	A	Production Release.	1/19/07	MCH/BAW
4805	B	Add Installation Kit to BOM.	2/27/07	MCH/JBR
6091	C	Added "TERM" to green annunciation list. Show generic nameplate, did show details.	12/19/13	MKN/BCM



Connector Pinout			
Pin #		Pin #	
1	INTG Annun.	9	Reserv ed
2	WPT Annun.	10	Lamp Test
3	MSG Annun.	11	Reserv ed
4	TERM Annun.	12	Reserv ed
5	14VDC Power	13	Reserv ed
6	APR Annun.	14	Reserv ed
7	VLOC Annun.	15	Ground
8	GPS Annun.		



**Panel Cutout**

Item	Qty	Part Number	Description
1	1	9016476-1	Assy, MD41-1484W
2	1	8018822	Nameplate
3	1	9016480	Installation Kit

Specifications	
Power Input	14 VDC 0.30 Amps
Lighting	Incandescent Bulbs
Weight	0.2 lbs
Qualification Tests	FAATSO C129 RTCA DO-160C, DO-208 Env. Cat.F2-CA(MN)XXXXXXXXZBABATZXXX
Temperature	-55°C to 70 °C
Altitude	0 to +55,000 Ft.
Connector	ODD15M400V30
Mating Connector	DD15F10JVL0
Color	Bezel: Black
	VLOC Annunciation: White
	TERM, GPS and APR Annunciations: Green
	WPT, MSG, INTG Annunciations: Amber

UNLESS OTHERWISE SPECIFIED, ALL DIMENSIONS ARE IN INCHES.  
TOLERANCE:  
FRACTIONAL=±1/64  
.XX=±0.015  
.XXX=±0.005  
.XXXX=±0.002  
ANGULAR=±0.5°  
CONCENTRICITY: 0.005 TIR  
BREAK ALL SHARP EDGES  
THREADS PER MIL-S-7742

DRAWN:  
M. Hawks  
1/4/2007

APPROVED:  
BAW  
2/1/2007

This document discloses proprietary information of Mid-Continent Instrument Co., Inc. It may be reproduced or disclosed only with written permission of Mid-Continent Instrument Co., Inc. and is not to be used in any way detrimental to the interests of Mid-Continent Instrument Co., Inc.

TITLE:  
**GPS WAAS Annunciation Unit**

SCALE: 1:1



PART NUMBER:  
**MD41-1484W**

DO NOT SCALE THIS DRAWING

SHEET: 1 of 1